

SOYBEAN ROW SPACING BY PLANT POPULATION

TRIAL OVERVIEW

- Row spacing and plant population have the potential to influence soybean yield.



Figure 1. 20-inch rows (left); 30-inch rows (center); and twin rows on 30-inch center (right).

RESEARCH OBJECTIVE

- Evaluate different soybean row spacings and plant populations to determine their effect on yield potential.

Location	Soil	Previous Crop	Tillage Type	Planting Date	Harvest Date	Potential Yield/Acre	Planting Rate/Acre
Monmouth, IL	Silt Loam	Corn	Conventional	05/30/2017	10/19/2017	75 bu/acre	120,000 and 170,000 seeds/acre

SITE NOTES:

- The trial consisted of two replications.
 - 2.7 RM and 3.6 RM Roundup Ready 2 Xtend® Soybeans were planted.
 - Seeding rates were 120,000 and 170,000 seeds/acre.
- Row width configurations were 20-inch, 30-inch, and twin rows on a 30-inch center (Figure 1).

UNDERSTANDING THE RESULTS




Figure 2. Average Yield Response of Two Soybean Products Using Three Row Widths and Two Seeding Rates,




Figure 3. Soybean Yield Response to Row Width and Seeding Rate at the Monsanto Learning Center at Monmouth, IL (2017).

Monsanto Learning Center at Monmouth, IL (2017).

- Narrow rows (20-inch and twin) produced higher yields than wider, 30-inch rows (Figure 2). This is consistent with results from multiple row spacing trials over the past several years at the Monsanto Learning Center at Monmouth, IL.²
- The yield advantage in narrow rows and twin rows may be attributed to better weed control because of earlier canopy closure and increased sunlight interception.
- The 3.6 RM product @ 170,000 seeds/acre was the highest yielding regardless of row spacing (Figure 3).
- Although 170,000 seeds/acre was the optimum rate in this trial (Figure 3), previous work at the Monsanto Learning Center at Monmouth, IL has shown soybean response to planting population to be inconsistent year over year.
 - Soybean Populations by Stress Mitigation. 2013 Demonstration Report.¹
 - Soybean Row Spacing by Population. 2014 Demonstration Report.²

WHAT DOES THIS MEAN FOR YOUR FARM?

- Multiple years of data from the Monsanto Learning Center at Monmouth, IL have shown high soybean yields at a range of seeding rates.
- The Monsanto Learning Center plans to continue conducting trials to help determine the optimum combination of soybean seeding rates and row spacing.
- Multiple years of data from the Monsanto Learning Center have supported an advantage of 20-inch and Twin 30-inch center rows over 30-inch rows.²

SOURCES

1 Soybean Populations by Stress Mitigation. 2013 Demonstration Report. <https://monsanto.com/app/uploads/2017/05/mlc-lc-soybean-population-by-stress-mitigation.pdf>.

2 Soybean Row Spacing by Population. 2014 Demonstration Report. <https://monsanto.com/app/uploads/2017/05/mlc-lc-soybean-row-spacing-by-population.pdf>. Sources verified 11/6/17. 171102110840



LEGAL STATEMENT

For additional agronomic information, please contact your local brand representative.

Developed in partnership with Technology Development & Agronomy by Monsanto. The information discussed in this report is from a single-site demonstration trial. This informational piece is designed to report the results of this demonstration and is not intended to infer any confirmed trends. Please use this information accordingly.

Monsanto Company is a member of Excellence Through Stewardship® (ETS). Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Monsanto's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. This product has been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW DIRECTIONS FOR USE ON PESTICIDE LABELING. IT IS A VIOLATION OF FEDERAL AND STATE LAW to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. XTENDIMAX® HERBICIDE WITH VAPORGRIP® TECHNOLOGY AND IN CROP USES MAY NOT BE APPROVED IN ALL STATES. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your Monsanto dealer or refer to Monsanto's Technology Use Guide for recommended weed control programs. **Individual results may vary**, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Roundup Ready 2 Xtend® is a registered trademark of Monsanto Technology LLC. All other trademarks are the property of their respective owners.

©2017 Monsanto Company All Rights Reserved. 171102110840 120417LGM